

Evolving Three Dimension (3D) Abstract Art: Fitting Concepts by Language

Anonymous Author(s)

Abstract

Computational creativity has contributed heavily to abstract art in modern era, allowing artists to create high quality, abstract two dimension (2D) arts with a high level of controllability and expressibility. However, even with computational approaches that have promising result in making concrete 3D art, computationally addressing abstract 3D art with high-quality and controllability remains an open question. To fill this gap, we propose to explore computational creativity in making abstract 3D art by bridging evolution strategies (ES) and 3D rendering through customizable parameterization of scenes. We demonstrate that our approach is capable of placing semi-transparent triangles in 3D scenes that, when viewed from specified angles, render into films that look like artists' specification expressed in natural language. This provides a new way for the artist to easily express creativity ideas for abstract 3D art. The supplementary material, which contains [code](#), [animation](#) for all figures, and [more examples](#), is anonymously here: <https://anonymous-1ejeaec.github.io/>.

Introduction

Through art history, a trend of abstract art has been influential since the beginning of 20-th century in the course of modernism (Kuiper 2021) which focuses on abstract elements instead of traditional photo-realistic forms. Starting from Cubism art movement (Rewald 2014) and geometric abstraction (Dabrowski 2004), the focus on abstraction leads to abstract expressionism (Paul 2004) and minimalist art (Modern 2018; Bertoni 2002). They collectively have opened a new approach of painting art where the subjective appreciation of the object or the feeling could be expressed, and the once dominant traditional focus on accurate representation is not the only standard anymore.

Computer art, in the broader sense making art in a computational way, have also played a heavy role in this course of abstract art. Early works have brought forward the concept of artists generating art by designing mathematically, or more precisely algorithmically (Malkevitchn 2003; Verostko 1994). The said algorithm, and its properties like its complexity (Kolmogorov 1965), have become an important and intrinsic metric of art (Schmidhuber 1997). In this regard, a large body of pioneer artists including Frieder Nake, Vera




Figure 1: Our proposed method places semi-transparent triangles in three dimension (3D) spaces using Evolution Strategies (Tang, Tian, and Ha 2022; Hansen 2000; 2006). Leveraging ray-tracing based rendering Mitsuba 3 (Nimier-David et al. 2019; Jakob et al. 2022), the rendered film at possibly multiple cameras is compared with its corresponding, user-specified text prompt using distance between their representation embedded by CLIP (Radford et al. 2021). Such distances, aggregate by average, are used as the fitness in the sense of Evolution Strategies, which optimize the parameters of triangles to achieve better fitnesses.

Molár, A. Michael Noll, Manfred Mohr, Leslie Mezei and Georg Nees have explored designed algorithms to produce abstract art that are composite of simple primitives like lines and polygons. More recently, modern approaches propose that artists could, instead of designing the algorithm directly, specify rules to find an algorithm that in turn produces the artwork. Doing so becomes feasible thanks to the recent advances in evolution strategies (ES), for example art generation using ES has been proposed to produce a wide range of simple (Johansson 2008; Alteredqualia 2008) and complex (Fogleman 2016; Cason 2016; Paauw and Van den Berg 2019; Shahrabi 2020; Tian and Ha 2022) art forms, where the artists can specify the rules using text or images as instructions.

While arguably painting has always been one of the most dominant art forms, arts concerning three dimensional (3D) objects is an equally important field. For example, Among 3D arts the one with the longest tradition is sculpture (Rogers 2020) and architecture (Gowans et al. 2022) which starts from classical antiquity and remains pretty relevant today. Yet modern techniques and industries add new movements to 3D art, where we also see a similar trend of abstractness and modernism like the painting arts mentioned above. For example, the trend of modernism has led to the sculpture to go beyond the realm of solid, representational form, and the artists started to produce “nonfunctional, nonrepresentational, three-dimensional works of art” (Rogers 2020). This particularly includes spatial sculpture (Conroy 1977; Kricke 1976; Caro 1962) where space becomes the subject of the 3D artworks, and the viewing angle as well as the relation of objects comes to be an important part of the art. In the realm of computational approach to 3D art, early work explores rule based generation (Broughton, Tan, and Coates 1997; Coates, Broughton, and Jackson 1999) where the combination of rules are evaluated by human-in-the-loop (Cook 2007). Late works focus on parameterization, such parametric 3D surfaces (Chu 2021). A recent work (Hsiao, Huang, and Chu 2018) produces wire art that looks like predefined sketches by connecting vortexes using a 3D path finding algorithm.

However, the modern computational approaches to the abstract 3D art remains an open gap to fill. This is more prominent given how high-quality and controllable computer *concrete* 3D art has been achieved by recent advances. For example, it is now possible to generate high-quality 3D volumetric objects using recent generative model like NeRF (Mildenhall et al. 2021; Martin-Brualla et al. 2021) and text-to-image model like DALLE (Ramesh et al. 2022). Powerful image generative models like Imagen (Saharia et al. 2022) and Parti (Yu et al. 2022) open the door to works such as DreamFields (Jain et al. 2022), DrameFusion (Poole et al. 2022) and Magic 3D (Lin et al. 2022) where artists can easily control the generation of height quality 3D object by text prompt. On the other side, to our best knowledge, still missing are computational tools to produce high quality *abstract* 3D art creation that does not require artists detailing everything but instead allow artists specifying instructions in a way that is high level and that human can easily produces and understand.

To bridge this gap, we propose to combine evolution strategies (ES) and 3D rendering through customized parameteri-


zation of scenes, which is later evaluated by a deep learning model, to address computational creativity in the abstract 3D art. In doing so we leverage the recent advances in evolution algorithm applied to abstract 2D art generation, as well as ray-tracing rendering, which is vital to the rendering of physically-sounding transparent objects. Two components are bridged by immediate mode, a paradigm in computer graphics where senses are parameterized. Parameterization could be specified by the artist to customize scenes, allowing a new way for the artist to express creative ideas at a high level. We demonstrate that our approach is capable of placing shapes in 3D scenes that, when viewing from specified angles, look like artists’ specification expressed in natural language. This is facilitated by recent advances in deep learning, namely CLIP that is also used in DALL-E (Ramesh et al. 2022), that connects text and images domains. With all these components, the artist can freely express the idea of 3D abstract art by text, which is a more approachable way and allows a wider audience to participate in 3D art creativity. A quick summary of our proposed method and some exemplary artifacts are shown in Figure 1 and Figure 2.

Related Works


In this section we cover works that are the background of or related to our proposed methods.

Computational Approach to Abstract Painting Art The computational approach to abstract and minimalist painting art has a long history before the era of computing. Early works discuss mathematical art (Malkevitchn 2003) which establishes the connection between artworks and mathematical properties such as symmetry and polygon for paintings, and octave for music. Since the inception of computers as a new means for human activity, algorithmic art (Verostko 1994) has been proposed as a new framing of art, where artworks are not produced by humans directly but by human designing a mathematical process, or an algorithm, that produces the artifact. Furthermore, the properties of the said algorithm themselves could also be a subject of artistic discussion. One example is low-complexity art (Schmidhuber 1997) where the complexity of the said algorithm becomes a measure of the artwork. In this regard, a large body of pioneer artists have practically explored designing algorithms to produce computational abstract art that are composite of simple lines and polygons. This includes Frieder Nake (Medien Kunst Netz 2018), Vera Molár (Vera Molár 2023), Leslie Mezei (Zentrum für Kunst und Medien 2023), A. Michael Noll, Manfred Mohr and Georg Nees. Collectively, they represent the artists putting the early concept of computer abstract art in practice.


Naturally, artists explores whether it’s possible to, instead of directly designing an algorithm, use the rules that control the possible search space of the algorithm that actually makes the art. However, since the algorithm is hardly differentiable, gradients are not available or hard to define. From an optimization point of view, this non-differentiability makes it challenging to find an algorithm since a wide range of optimization methods are gradient-based. This resonates with the challenge of looking for a better neural network architecture (Elsken, Metzen, and Hut-




(a) The prompt for all camera/films is “Walt Disney World”



(b) The prompt for all camera/films is “A painting of Human”



(c) The prompt for all camera/films is “A bright, vibrant, dynamic, spirited, vivid painting of a dog.”



(d) The prompt for all camera/films is “A vivid, colorful bird”

Figure 2: Several examples of the abstract 3D art produced by our method, where the evolution process places triangles inside the unit cube space (visualized by black frame) and sets triangles’ colors and transparencies, forming a spatial configuration. In each example shown here, four cameras look at the unit cube space from four sides, although this is an arbitrary decision and cameras can have different numbers and directions. The film from each camera, capturing the rendered images, is compared with the prompt. It could be observed that our method is capable of making a 3D art, which follows the spatial abstract art style, that looks like what humans can compose in natural language text.




Figure 3: The architecture of our method, consisting of an outer loop of evolution strategies (ES) to find parameters leading to better fitness, and an inner, actual evaluation of fitness. The builder builds spatial 3D objects that compose semi-transparent triangles on the 3D space from parameters. The renderer renders the 3D space from different cameras producing corresponding images or “films” which are compared with provided text prompts using Cosine loss between the images and text prompts encoded by CLIP encoders. Such a loss is treated as the fitness of the parameters given back to ES. The user of our proposed method specifies the text prompt and hyper-parameters governing the behavior of the builder and the renderer, allowing expressing creativity.

ter 2019). To tackle it, previous works have explored leveraging evolution strategies (ES) in art generation, since ES belongs to the category of black box optimization which does not require differentiation. Such effort could handle art forms ranging from simple ones (Johansson 2008; Alteredqualia 2008) to more complex ones (Fogleman 2016; Cason 2016; Paauw and Van den Berg 2019; Shahrabi 2020; Tian and Ha 2022).

3D Rendering The development of Computer Graphics (Foley et al. 1994; Shirley, Ashikhmin, and Marschner 2009) is largely associated (Watt 1993) with the constant quest for better three dimension (3D) rendering. One of the drives in 3D rendering is the development of game (Gregory 2018) which naturally calls for high quality rendering in real-time (Akenine-Moller, Haines, and Hoffman 2019).

Regarding rendering technique, broadly speaking two ways exist: first is rasterization (Shirley, Ashikhmin, and Marschner 2009), where polygons representing 3D objects are projected to pixels on 2D screen. It is fast, widely adopted, and often good enough. Another is ray-tracing (Glassner 1989; Spencer and Murty 1962; Appel 1968; Whitted 2005), where rays are traced back from camera, interacting with the objects it encounters accordingly to the rendering equation (Kajiya 1986), all the way till the light source. It enables a high degree of physical plausibility, but at the cost of high computational requirements.

In the practice of 3D rendering engines, two paradigms exist: One is retained mode graphics (Jin 2006) where the application issues since to graphic libraries. This is the dominating practice due to its efficiency. Another one is immediate mode paradigm (Radich and Satran 2019) where the application builds the scene and only issues drawing primitives to the graphic libraries. It is less efficient, but allows more flexibility and expression, which could be helpful in creativity settings.

Evolution Strategies (ES) (Beyer 2001; Beyer and Schwefel 2002), as an optimization method, has been applied to many problems. Inspired by biological evolution, its high-level idea consists of iteratively changing parameters and keeping the sets of parameters that are most fitting. At the end of evolution the best, or the most fitting solutions remain. A straightforward realization of this idea is iteratively perturbing parameters randomly and keeping ones only if the change leads to better fitness. Unfortunately, it is often computationally inefficient. Recent advances in ES have largely improved the efficiency. For example, PGPE (Sehnke et al. 2010) proposes to estimate the gradients in linear time which can be used by gradient-based optimizers like Adam (Kingma and Ba 2014) and ClipUp (Toklu, Liskowski, and Srivastava 2020). On the other hand, CMA-ES (Hansen 2000; 2006) estimates the covariance matrix of parameters, which provides better performance using quadratic running time.


Notably, unlike gradient-based optimization, evolution strategies do not require the optimized problem to be differentiable, thus it could effectively serve as black-box optimization solver where only the evaluation of fitness is needed. This leads to a wide range of applications. For example, recent advances in neural evolution (Such et al. 2017) allows efficient optimization of neural networks, and EvoJAX (Tang, Tian, and Ha 2022) fully leverages the hardware acceleration for a wide range of evolution tasks.

3D Generative Models and Computational Creativity


One early way of generating creative 3D objects starts with 3D point cloud (Nguyen and Le 2013; Guo et al. 2020), which consists of points with unit volume in 3D space. The 3D point cloud is easier to model, and is used in turn to generate the 3D shape by morphing the points (Mo et al. 2019; Li et al. 2021). Recently, we have seen a surge of high quality generative models that directly model 3D objects. Especially in producing concrete, *volumetric* 3D objects, works in the line of NeRF (Mildenhall et al. 2021; Martin-Brualla et al. 2021) represents the whole scene by a radiance field parameterized by the neural base models.

Research in 3D generation is not limited to the modality of 3D objects only. Multi-modal, text-to-image works such as DALLE (Ramesh et al. 2022), Imagen (Saharia et al. 2022) and Parti (Yu et al. 2022) allow creating high quality images using text prompts as guidance. Based on them, text-to-3D objects have become possible. For example, DreamFields (Jain et al. 2022), DrameFusion (Poole et al. 2022), Magic 3D (Lin et al. 2022) and Imagen Video (Ho et al. 2022) are capable for generating photo-realistic *volumetric* 3D objects following the description given in text.


Beside generative models that model concrete and real-




(a) "Walt Disney World" - 10 Triangles.



(b) "Walt Disney World" - 25 Triangles.



(c) "Walt Disney World" - 50 Triangles.



(d) "Walt Disney World" - 100 Triangles.

Figure 4: Our method generating with text prompts "Walt Disney World" with four cameras, with different numbers of triangles, namely 10, 25, 50 and 100 respectively. It could be shown that our method leverages the budgets of triangles in the increasing order of granularity, by first using triangles for general shape and then moving towards fine-grained details.




Figure 5: Our method generates with two independent runs, both with prompt “A bright, vibrant, dynamic, spirited, vivid painting of a dog” from four directions. Different runs lead to equally plausible yet largely different 3D art. An artist user could exercise discretion “in-the-loop” by choosing from different variants from these runs.

world 3D objects, similar problems have also been approached from a computational creativity point of view, which emphasize the artistic creativity of the generated object. Early work explores rule based generation (Broughton, Tan, and Coates 1997; Coates, Broughton, and Jackson 1999) where the combination of rules is evaluated by either enabling human-in-the-loop (Cook 2007) or parameterizing a single formula (Chu 2021). Also, a recent work produces wire art (Hsiao, Huang, and Chu 2018) resembling given sketches by first generating vortexes and then connecting them by leveraging 3D path finding algorithms. They are probably closest to our work, but crucial differences exist: As far as we know, we are the first work to address *spatial, abstract* 3D generation with the expressionism from modern neural based models.

Methodology

We show the overall architecture of our proposed method in Figure 3. It contains two parts, the outer loop of evolution strategies and the inner evaluation of 3D scene’s fitness.

The outer loop of evolution strategies (ES)

This is a black box optimization that suggests multiple sets of parameters and adjusts them based on the fitness, or how well each set of parameters are. At the end of several steps of optimization, ES gives parameters leading to better fitness. We use CMA-ES (Hansen 2000; 2006), an algorithm that estimates the covariance matrix

of parameters, since it provides better performance than common alternatives like PGPE (Sehnke et al. 2010) while only incurring marginal increase of running time in our case. Engineering-wise, we use EvoJAX implementation of CMA-ES, which is based on JAX (Bradbury et al. 2018) and runs easily on accelerators like GPUs.

The inner evaluation of 3D scene’s fitness

In our setting, the parameters literally parameterize the building and the rendering of 3D scenes. We first build the 3D scene, and then render it from multiple, user-specified cameras using a ray-tracing renderer engine. While the actual spatial objects are parameterized by the parameters, how the builder and the renderer interpret these parameters are considered hyper-parameters that the artist users could control. Finally, the rendered images from each camera, or “films” following photography terms, are compared with the text prompts semantically, which is done by computing the Cosine loss between images and texts encoded by CLIP encoders. The mean loss of all pairs of images and texts is given back to the aforementioned evolution strategy for adjusting the parameters accordingly.

Overall, the evaluation of 3D scenes through parameterization is the main contribution we device to help artists express creativity. We detail the key decisions as follows:

Parameterization Since our goal focuses on the computational creativity of *spatial* 3D art as motivated by the




Figure 6: Our method generates with text prompts “Walt Disney World”, with a fixed transparency of 50% and with the default setting of learnable transparency. While the fixed transparency setting allows more global control of the scene, the learnable one provides great flexibility in how triangles are related to the space. More results from different transparency (0% and 80%) could be found in supplementary materials online for comparison.

trend of abstract art in modern sculpture, we choose placing semi-transparent triangles in plastic material in the 3D space. Concretely, each of N triangles is associated with 13 learnable parameters, namely the position of its three vertices (x_1, y_1, z_1) , (x_2, y_2, z_2) , (x_3, y_3, z_3) and the color and transparency (R, G, B, A) , thus making totally $13N$ parameters. It is possible to archive photo-realistic rendering of these semi-transparent triangles with the help of a ray-tracing renderer, because light rays may pass through and bounce between them many times. Furthermore, doing so allowing retain the possibility of reproducing a solution in the real world. The choice of semi-transparent triangles is inspired by a recent work on 2D abstract art (Tian and Ha 2022), but going to 3D, as in our setting, makes our whole new pipeline necessary since the technique and the optimization dynamics are completely different.

Rendering In practice, for ray-tracing rendering we use physic-based Mitsuba 3 renderer (Nimier-David et al. 2019). For each triangle, the bidirectional scattering distribution function (BSDF) for rendering is set as a mixture of BK7 Glass, a thin dielectric material, and a *Lambertian*, an ideally diffuse material of corresponding R, G, B value, mixed with ratio A . Besides physically correct rendering, Mitsuba 3 also allows GPU-powered paralleling sampling, which largely accelerates the ray-tracing rendering. For the sake of completeness, we note that Mitsuba 3 is also capable of sampling-based gradient estimation, but we do not leverage

such capacity and leave study of that behavior as an orthogonal research direction for future study.

Evaluation As we expect the pipeline to produce a scene that, when rendered from different cameras (we call what a camera produces “films”), looks like corresponding text semantically, We measure it using CLIP, which provides an image and a text encoder that projects images and text into a shared, comparable latent space with Cosine distance. Note that with multiple pairs of camera and text, we could make the produced 3D object look like (or different) from different directions. In doing so, each film is encoded and compared with corresponding encoded text, and the means of Cosine distance of all such pairs are used as fitness, which is given back to the evolution strategies.

Computation Platform

Since both the rendering and the evolution strategies we use are fully run-able on GPU, the computation is fast and in our experience can be tens of times faster than on CPU, thus fully leveraging the modern hardware accelerators.

Experiments

In this section we showcase our method with several experiments. In Figure 2, we show several examples of the evolved 3D art produced by our method, each with 1,200 steps of evolution and a population of 128 using CMA-ES. As shown here, our method demonstrates that a wide range




Figure 7: Our method generates with different text prompts at cameras. The text prompt for camera 1 and 3 is “Walt Disney World” and for camera 2 and 4 is “an annoyed cat”. Our method produces one 3D art, and successfully allows it to look differently from different angles.

of text prompts can be handled by our method, producing spatial, abstract art that is both novel and consistent with human interpretation. Even given the abstract nature defined by the scene, our method could still handle both the spatial shape (first two examples) and the color (last two examples).

In the rest of this section, we investigate how turning several important hyper-parameters could impact the finally generated 3D art, showing the dynamics of our method which could be served as a guidance for the artist users.

Different Number of Triangles The number of triangles could be used as a kind of “budget” that our method used to allocate in occupying the 3D space. In Figure 4, we show our method generating 3D artwork with 10, 25, 50 and 100 triangles, respectively. Our method thus places triangles in the increasing order of granularity, where the general outline is first emphasized and details are then filled. Note that the number of parameters increases in proportion to the number of triangles, requiring more computation time in rendering and optimization. Thus, this is a balance that artist users should decide.

Different Runs of the Same Configuration One important aspect of computational creativity is the ability to produce variants of the art given the same instruction. Such a property not only allows artists to be “in-the-loop” to choose from a wide range of variants, but also shows the capacity of the generative model. In Figure 5, we show two configurations, each with two independent runs. It is shown that different runs lead to equally plausible yet largely different 3D art. In doing so, our method could support artists “in-the-loop” of the creativity process.

Fixed v.s. Learnable Transparency Unlike 2D art, in 3D art the transparency matters a lot, due to the effects such as reflection and optical diffusion. This is especially true in the spatial setting as we focus on. In Figure 6, we demonstrate several settings of transparency, including the fixed transparency and the default setting of learnable transparency. It shows that while fixed transparency allows a more consis-

tent global outlook, it nonetheless limits the expression by forcing large and small triangles contributing the same to the images. In contrast, learnable transparency gives our method flexibility in how the triangles are related to the 3D space.

Different Text Prompts at Different Cameras While in many examples we show the same text prompt for cameras, this is completely not a requirement imposed by our method. On the contrary, our method allows pairs of texts and cameras in an arbitrary combination. Such a capacity allows a wider range of creativity from users to, for example, generate a 3D art that looks differently from different angles. In Figure 7 we demonstrate one such case, where our method generates 3D art that looks like “Walt Disney World” from two directions but “an annoyed cat” from the other two directions, even these views are of the same, single 3D art. We argue that our method is the first to be capable of helping artists in such a creative process that previously requires lots of manual work (Hsiao, Huang, and Chu 2018).

Conclusion

In this work we address the problem that is previously not studied — generating 3D, abstract, and spatial art that is semantically aligned with human interpretation. In doing so, we propose to leverage evolution strategies (ES) with ray-tracing rendering of parameterized 3D scenes, along with CLIP method for measuring the semantic similarity. We demonstrate that our approach is capable of producing 3D arts through several experiments, and provides the flexibility for artists or users to fine-tune for the desired result.

Nonetheless, our proposed method is best suited as a call for further future study in computational approaches in 3D art. For example, it remains unclear whether optimization using differentiability of the renderer would lead to a different dynamic and thus art style. Also, the designing of the parameterized scene is a time-consuming one requiring the extensive knowledge of 3D rendering and optimization, so whether it would be improved through the (semi-)automation process should be studied too.

References

- Akenine-Moller, T.; Haines, E.; and Hoffman, N. 2019. *Real-time rendering*. AK Peters/crc Press.
- Alteredqualia. 2008. Evolution of mona lisa in javascript and canvas. <https://alteredqualia.com/visualization/evolve/>. Last accessed 1 Dec 2021.
- Appel, A. 1968. Some techniques for shading machine renderings of solids. In *Proceedings of the April 30–May 2, 1968, spring joint computer conference*, 37–45.
- Bertoni, F. 2002. *Minimalist architecture*. Birkhäuser.
- Beyer, H.-G., and Schwefel, H.-P. 2002. Evolution strategies—a comprehensive introduction. *Natural computing* 1(1):3–52.
- Beyer, H.-G. 2001. *The theory of evolution strategies*. Springer Science & Business Media.
- Bradbury, J.; Frostig, R.; Hawkins, P.; Johnson, M. J.; Leary, C.; Maclaurin, D.; Necula, G.; Paszke, A.; VanderPlas, J.; Wanderman-Milne, S.; and Zhang, Q. 2018. JAX: composable transformations of Python+NumPy programs.
- Broughton, T.; Tan, A.; and Coates, P. 1997. The use of genetic programming in exploring 3d design worlds. In *CAAD futures 1997*. Springer. 885–915.
- Caro, S. A. 1962. Early one morning. <https://artsandculture.google.com/asset/early-one-morning-sir-anthony-caro/AQEGPfzosYQ1tg>. Last accessed 1 Nov 2022.
- Cason, K. 2016. Genetic draw. https://github.com/kennycason/genetic_draw. Last accessed 1 Dec 2021.
- Chu, E. 2021. Evolving evocative 2d views of generated 3d objects. *arXiv preprint arXiv:2111.04839*.
- Coates, P.; Broughton, T.; and Jackson, H. 1999. Exploring three-dimensional design worlds using lindenmayer systems and genetic programming. *Evolutionary design by computers* 323–341.
- Conroy, S. B. 1977. Spatial sculpture. <https://www.washingtonpost.com/archive/lifestyle/1977/07/03/spatial-sculpture/3264a1b3-cc62-40d0-b11d-1a9127d4ed5d/>. Last accessed 1 Nov 2022.
- Cook, T. E. 2007. Gauguin: generating art using genetic algorithms and user input naturally. In *Proceedings of the 9th annual conference companion on Genetic and evolutionary computation*, 2647–2650.
- Dabrowski, M. 2004. Geometric abstraction. https://www.metmuseum.org/toah/hd/geab/hd_geab.htm. Last accessed 1 Dec 2021.
- Elsken, T.; Metzen, J. H.; and Hutter, F. 2019. Neural architecture search: A survey. *The Journal of Machine Learning Research* 20(1):1997–2017.
- Fogleman, M. 2016. Primitive pictures. <https://github.com/fogleman/primitive>. Last accessed 1 Dec 2021.
- Foley, J. D.; Van Dam, A.; Feiner, S. K.; Hughes, J. F.; and Phillips, R. L. 1994. *Introduction to computer graphics*, volume 55. Addison-Wesley Reading.
- Glassner, A. S. 1989. *An introduction to ray tracing*. Morgan Kaufmann.
- Gowans, A.; Collins, P.; Scruton, R.; and Ackerman, J. 2022. architecture. <https://www.britannica.com/topic/architecture>. Last accessed 1 Nov 2022.
- Gregory, J. 2018. *Game engine architecture*. AK Peters/CRC Press.
- Guo, Y.; Wang, H.; Hu, Q.; Liu, H.; Liu, L.; and Bennamoun, M. 2020. Deep learning for 3d point clouds: A survey. *IEEE transactions on pattern analysis and machine intelligence* 43(12):4338–4364.
- Hansen, N. 2000. Invariance, self-adaptation and correlated mutations in evolution strategies. In *International Conference on Parallel Problem Solving from Nature*, 355–364. Springer.
- Hansen, N. 2006. The cma evolution strategy: a comparing review. *Towards a new evolutionary computation* 75–102.
- Ho, J.; Chan, W.; Saharia, C.; Whang, J.; Gao, R.; Gritsenko, A.; Kingma, D. P.; Poole, B.; Norouzi, M.; Fleet, D. J.; et al. 2022. Imagen video: High definition video generation with diffusion models. *arXiv preprint arXiv:2210.02303*.
- Hsiao, K.-W.; Huang, J.-B.; and Chu, H.-K. 2018. Multi-view wire art. *ACM Transactions on Graphics (TOG)* 37(6):1–11.
- Jain, A.; Mildenhall, B.; Barron, J. T.; Abbeel, P.; and Poole, B. 2022. Zero-shot text-guided object generation with dream fields. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 867–876.
- Jakob, W.; Speierer, S.; Roussel, N.; and Vicini, D. 2022. Dr.jit: A just-in-time compiler for differentiable rendering. *Transactions on Graphics (Proceedings of SIGGRAPH)* 41(4).
- Jin, Z. 2006. Retained-mode parallel graphics rendering for cooperative design environments. In *2006 10th International Conference on Computer Supported Cooperative Work in Design*, 1–6. IEEE.
- Johansson, R. 2008. Genetic programming: Evolution of mona lisa. <https://rogerjohansson.blog/2008/12/07/genetic-programming-evolution-of-mona-lisa/>. Last accessed 1 Dec 2021.
- Kajiya, J. T. 1986. The rendering equation. In *Proceedings of the 13th annual conference on Computer graphics and interactive techniques*, 143–150.
- Kingma, D. P., and Ba, J. 2014. Adam: A method for stochastic optimization. *arXiv preprint arXiv:1412.6980*.
- Kolmogorov, A. 1965. Three approaches to the quantitative definition of information. *Problems of information transmission* 1(1):1–7.
- Kricke, N. 1976. Spatial sculpture. <https://artsandculture.google.com/asset/spatial-sculpture/2gF69CmEloj4Fw>. Last accessed 1 Nov 2022.
- Kuiper, K. 2021. Modernism. <https://www.britannica.com/art/Modernism-art>. Last accessed 1 Dec 2021.
- Li, R.; Li, X.; Hui, K.-H.; and Fu, C.-W. 2021. Sp-gan:

- Sphere-guided 3d shape generation and manipulation. *ACM Transactions on Graphics (TOG)* 40(4):1–12.
- Lin, C.-H.; Gao, J.; Tang, L.; Takikawa, T.; Zeng, X.; Huang, X.; Kreis, K.; Fidler, S.; Liu, M.-Y.; and Lin, T.-Y. 2022. Magic3d: High-resolution text-to-3d content creation. *arXiv preprint arXiv:2211.10440*.
- Malkevitch, J. 2003. Mathematics and art. <https://www.ams.org/publicoutreach/feature-column/fcarc-art1>. Last accessed 1 Dec 2021.
- Martin-Brualla, R.; Radwan, N.; Sajjadi, M. S.; Barron, J. T.; Dosovitskiy, A.; and Duckworth, D. 2021. Nerf in the wild: Neural radiance fields for unconstrained photo collections. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 7210–7219.
- Medien Kunst Netz. 2018. Frieder Nake. <http://www.medienkunstnetz.de/artist/nake/biography/>. Last accessed 1 Jan 2023.
- Mildenhall, B.; Srinivasan, P. P.; Tancik, M.; Barron, J. T.; Ramamoorthi, R.; and Ng, R. 2021. Nerf: Representing scenes as neural radiance fields for view synthesis. *Communications of the ACM* 65(1):99–106.
- Mo, K.; Guerrero, P.; Yi, L.; Su, H.; Wonka, P.; Mitra, N.; and Guibas, L. J. 2019. Structrenet: Hierarchical graph networks for 3d shape generation. *arXiv preprint arXiv:1908.00575*.
- Modern, T. 2018. Minimalism. <https://www.tate.org.uk/art/art-terms/m/minimalism>. Last accessed 1 Dec 2021.
- Nguyen, A., and Le, B. 2013. 3d point cloud segmentation: A survey. In *2013 6th IEEE conference on robotics, automation and mechatronics (RAM)*, 225–230. IEEE.
- Nimier-David, M.; Vicini, D.; Zeltner, T.; and Jakob, W. 2019. Mitsuba 2: A retargetable forward and inverse renderer. *ACM Transactions on Graphics (TOG)* 38(6):1–17.
- Paauw, M., and Van den Berg, D. 2019. Paintings, polygons and plant propagation. In *International Conference on Computational Intelligence in Music, Sound, Art and Design (Part of EvoStar)*, 84–97. Springer.
- Paul, S. 2004. Abstract expressionism. https://www.metmuseum.org/toah/hd/abex/hd_abex.htm. Last accessed 1 Dec 2021.
- Poole, B.; Jain, A.; Barron, J. T.; and Mildenhall, B. 2022. Dreamfusion: Text-to-3d using 2d diffusion. *arXiv preprint arXiv:2209.14988*.
- Radford, A.; Kim, J. W.; Hallacy, C.; Ramesh, A.; Goh, G.; Agarwal, S.; Sastry, G.; Askell, A.; Mishkin, P.; Clark, J.; et al. 2021. Learning transferable visual models from natural language supervision. *arXiv preprint arXiv:2103.00020*.
- Radich, Q., and Satran, M. 2019. Retained mode versus immediate mode. <https://learn.microsoft.com/en-us/windows/win32/learnwin32/retained-mode-versus-immediate-mode>. Last accessed 1 Nov 2022.
- Ramesh, A.; Dhariwal, P.; Nichol, A.; Chu, C.; and Chen, M. 2022. Hierarchical text-conditional image generation with clip latents. *arXiv preprint arXiv:2204.06125*.
- Rewald, S. 2014. Cubism. *The Metropolitan Museum of Art*. https://www.metmuseum.org/toah/hd/cube/hd_cube.htm. Last accessed 1 Dec 2021.
- Rogers, L. R. 2020. Sculpture. <https://www.britannica.com/art/sculpture>. Last accessed 1 Nov 2022.
- Saharia, C.; Chan, W.; Saxena, S.; Li, L.; Whang, J.; Denton, E.; Ghasemipour, S. K. S.; Ayan, B. K.; Mahdavi, S. S.; Lopes, R. G.; et al. 2022. Photorealistic text-to-image diffusion models with deep language understanding. *arXiv preprint arXiv:2205.11487*.
- Schmidhuber, J. 1997. Low-complexity art. *Leonardo* 30(2):97–103.
- Sehnke, F.; Osendorfer, C.; Rückstieß, T.; Graves, A.; Peters, J.; and Schmidhuber, J. 2010. Parameter-exploring policy gradients. *Neural Networks* 23(4):551–559.
- Shahrabi, S. 2020. Procedural paintings with genetic evolution algorithm. <https://github.com/IRCSS/Procedural-painting>. Last accessed 1 Dec 2021.
- Shirley, P.; Ashikhmin, M.; and Marschner, S. 2009. *Fundamentals of computer graphics*. AK Peters/CRC Press.
- Spencer, G., and Murty, M. 1962. General ray-tracing procedure. *JOSA* 52(6):672–678.
- Such, F. P.; Madhavan, V.; Conti, E.; Lehman, J.; Stanley, K. O.; and Clune, J. 2017. Deep neuroevolution: Genetic algorithms are a competitive alternative for training deep neural networks for reinforcement learning. *arXiv preprint arXiv:1712.06567*.
- Tang, Y.; Tian, Y.; and Ha, D. 2022. Evojax: Hardware-accelerated neuroevolution. *arXiv preprint arXiv:2202.05008*.
- Tian, Y., and Ha, D. 2022. Modern evolution strategies for creativity: Fitting concrete images and abstract concepts. In *International Conference on Computational Intelligence in Music, Sound, Art and Design (Part of EvoStar)*, 275–291. Springer.
- Toklu, N. E.; Liskowski, P.; and Srivastava, R. K. 2020. Clipup: A simple and powerful optimizer for distribution-based policy evolution. In *International Conference on Parallel Problem Solving from Nature*, 515–527. Springer.
- Vera Molár. 2023. Vera Molár. <http://www.veramolnar.com/>. Last accessed 1 Jan 2023.
- Verostko, R. 1994. Algorithmic art. <http://www.verostko.com/algorithm.html>. Last accessed 1 Dec 2021.
- Watt, A. 1993. 3d computer graphics.
- Whitted, T. 2005. An improved illumination model for shaded display. In *ACM Siggraph 2005 Courses*. 4–es.
- Yu, J.; Xu, Y.; Koh, J. Y.; Luong, T.; Baid, G.; Wang, Z.; Vasudevan, V.; Ku, A.; Yang, Y.; Ayan, B. K.; et al. 2022. Scaling autoregressive models for content-rich text-to-image generation. *arXiv preprint arXiv:2206.10789*.
- Zentrum für Kunst und Medien. 2023. Leslie Mezei. <http://www.veramolnar.com/>. Last accessed 1 Jan 2023.